

Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	15 [REDACTED]
Project ID	GET_DIESEL-20251010-0001	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 10-2028	Order	901-2025 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
Amazon Certification *			
Adulterants	Pass		
Contaminants	Pass		
Pathogens	Pass		
Microbiological	Pass		
GMP Certification	Pass		
Content Claims	Pass		
Overall Certification	Pass		
Label Review	Pass		
Vitamin C			
Vitamin C	234 mg/Serving Size	200 mg/Serving Size	Pass
Elements by ICP Emission Spectrometry (ICP-OES)			
Magnesium	42.2 mg/Serving Size	38 mg/Serving Size	Pass
Elements by ICP Emission Spectrometry (ICP-OES) - Retest			
Sodium	84.9 mg/Serving Size	101 mg/Serving Size	Pass
Sodium	84.8 mg/Serving Size	101 mg/Serving Size	Pass
Sodium	86.6 mg/Serving Size	101 mg/Serving Size	Pass
Water Soluble Vitamins by LC-MS/MS			
Pyridoxine	6.90 mg/Serving Size	5 mg/Serving Size	Pass
Niacin (calculated from Niacinamide)	6.05 mg/Serving Size	5 mg/Serving Size	Pass
Determination of Cyanocobalamin by LC-MS/MS *			
Cyanocobalamin	69.9 mcg/Serving Size	50 mcg/Serving Size	Pass
Targeted Analysis of Sports Nutrition Adulterants			
Androsta-3,5-diene-7,17-dione (Armistane)	Not Detected.		
Androsta-1,4,6-trienedione	Not Detected.		
4-Androstenedione	Not Detected.		
4-Androstene-3 α -ol-17-one (4-DHEA-alpha)	Not Detected.		

* This analysis or component is not ISO accredited.

Printed: 30-Oct-2025 1:32 pm

Page 1 of 13

Certificate of Analysis
GET DIESEL NUTRITION

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	158 [REDACTED]
Project ID	GET_DIESEL-[REDACTED]	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED] EXP: 10-2028	Sampled	Sample results apply as received
		Online Order	901-20 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sports Nutrition Adulterants			
4-Androstene-3 β -ol-17-one (4-DHEA-beta)	Not Detected.		
4-Androsten-3,6,17-trione	Not Detected.		
Androsterone (3 α -hydroxy-5 α -androstan-17-one)	Not Detected.		
1-Androsterone (1-dehydroepiandrosterone)	Not Detected.		
Dehydrochloromethyltestosterone (4-chlorodehydromethyltestosterone)	Not Detected.		
Estra-4,9-diene-3,17-dione	Not Detected.		
GW1516 (Endurobol)	Not Detected.		
Ibutamoren	Not Detected.		
7-Keto-dehydroepiandrosterone (7-Keto-DHEA)	Not Detected.		
LGD-4033 (Ligandrol)	Not Detected.		
Metandienone (Methandrostenolone)	Not Detected.		
Methasterone (Superdrol)	Not Detected.		
Methylstenbolone (Ultradrol)	Not Detected.		
Methyl-1-testosterone	Not Detected.		
Ostarine (Enobosarm)	Not Detected.		
Prostanozol	Not Detected.		
RAD140 (Testolone)	Not Detected.		
Stanozolol	Not Detected.		

The reporting limits for 4-DHEA-alpha, 4-DHEA-beta, Androsterone, 1-Androsterone, Superdrol, and Testolone are 50 ppm. All other residues have a reporting limit of 10 ppm.

Aerobic Plate Count *

Aerobic Plate Count

1700 (est) CFU/g

<= 10000 CFU/g

* This analysis or component is not ISO accredited.

Printed: 30-Oct-2025 1:32 pm

Page 2 of 13

Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	158 [REDACTED]
Project ID	GET_DIESEL-20251016-0004	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED] EXP: 10-2028	Sampled	Sample results apply as received
		[REDACTED] Order	901 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
E. coli *	Absent /10 g		
Escherichia Coli			
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) *	<10 MPN MPN/g	<= 100 MPN/g	
Enterobacterial Count			
Salmonella USP *	Absent /10 g		
Salmonella			
Staphylococcus *	Absent /10 g		
Staphylococcus Aureus			
Yeast and Mold Count *	<100 CFU/g	<= 1000 CFU/g	Pass
Combined Yeast and Mold Count			
Preparatory Testing of Nutritional and Dietary Supplements *			
Staphylococcus Suitability Result	Neutralization of the product is not applicable, due to the microbicidal activity of the product, it is not likely to contain the specified microorganism	PASS	
E. coli Suitability Result		PASS	
Salmonella Suitability Result		PASS	
Total Combined Yeast-Molds Count		PASS	
Aerobic Plate Suitability Result		PASS	
Bile-Tolerant Gram-Neg Bacteria Suitability Result	Neutralization of the product is not applicable, due to the microbicidal activity of the product, it is not likely to contain the specified microorganism		
Elements by ICP Mass Spectrometry			
Arsenic	0.000169 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Lead	0.000687 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Chromium *	0.00495 mg/Serving Size	<= 0.02 mg/Serving Size	Pass

* This analysis or component is not ISO accredited.

Printed: 30-Oct-2025 1:32 pm

Page 3 of 13

Report Number: [REDACTED]

Report Date: 30-Oct-2025

Report Status: Final

Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	15 [REDACTED]
Project ID	GET_DIESEL-2025 [REDACTED]	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 10-2028	Online Order	901 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
Elements by ICP Mass Spectrometry			
Cadmium	<0.0000450 mg/Serving Size	<= 0.0041 mg/Serving Size	Pass
Mercury	0.000146 mg/Serving Size	<= 0.002 mg/Serving Size	Pass
Photo *			
Packaging - Front			

* This analysis or component is not ISO accredited.

Printed: 30-Oct-2025 1:32 pm


Page 4 of 13

Certificate of Analysis
[REDACTED]
GET DIESEL NUTRITION

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	158 [REDACTED]
Project ID	GET_DIESEL-[REDACTED]	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 10-2028	[REDACTED] Order	901 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



* This analysis or component is not ISO accredited.

Printed: 30-Oct-2025 1:32 pm

Page 5 of 13

Certificate of Analysis


GET DIESEL NUTRITION

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	15 [REDACTED]
Project ID	GET_DIESEL-202 [REDACTED]	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 10-2028	Online Order	901- [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Side



Packaging - Facts 2


Certificate of Analysis

GET DIESEL NUTRITION


Sample Name:	Diesel Diva xxx 30 Sv	Sample:	15 [REDACTED]
Project ID	GET_DIESEL-202 [REDACTED]	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED] EXP: 10-2028	Sampled	Sample results apply as received
		[REDACTED] Order	901-[REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



Packaging - Facts 3



Certificate of Analysis

GET DIESEL NUTRITION

2120 Carey Ave
[REDACTED]

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	158 [REDACTED]
Project ID	GET_DIESEL-2025 [REDACTED]	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 10-2028	Online Order	901 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Facts

SUPPLEMENT FACTS		
Serving Size: 9g (Approx. 1 Scoop)		
Servings Per Container: 30		
Amount Per Serving		% Daily Value
Calories	10	
Total Carbohydrate	3 g	1%*
Vitamin C (Ascorbic Acid)	200 mg	222%
Niacin (as Niacinamide)	5 mg	31%
Vitamin B6 (as Pyridoxine HCl)	5 mg	294%
Vitamin B12 (as Cyanocobalamin)	50 mcg	2,083%
Magnesium (as Magnesium Malate)	38 mg	9%
Sodium (as Himalayan Pink Salt, Sodium Bicarbonate and Monosodium Phosphate)	101 mg	4%
Potassium (as Acesulfame Potassium and Potassium Monophosphate)	39.5 mg	1%
Proprietary Blend:	4.6 g	**

Packaging - Lot



* This analysis or component is not ISO accredited.

Printed: 30-Oct-2025 1:32 pm

Page 8 of 13

Certificate of Analysis
[REDACTED] GET DIESEL NUTRITION

Sample Name:	Diesel Diva xxx 30 Sv	Sample:	15 [REDACTED]
Project ID	GET_DIESEL-20251016-0004	Receipt Date	20-Oct-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2507052	Login Date	16-Oct-2025
Sample Serving Size	9 g	Date Started	21-Oct-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 10-2028	Online Order	901 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Side 2



* This analysis or component is not ISO accredited.

Printed: 30-Oct-2025 1:32 pm

Page 9 of 13

Certificate of Analysis

GET DIESEL NUTRITION

Method References

Testing Location

Aerobic Plate Count (USPC2021)

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Amazon Certification (B12_LCMS_S)

Determination of Cyanocobalamin by LC-MS/MS (B12_LCMS_S)

Internally Developed Method

Other supporting references:

Vitamin B12: AOAC 2011,10. Determination of Vitamin B12 in Infant Formula and Adult Nutritionals by HPLC

E. coli (USPE2022)

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Elements by ICP Emission Spectrometry (ICP-OES) - Retest (ICP_S)

Official Methods of Analysis of AOAC INTERNATIONAL, Method 984.27, 985.01, and 2011.14,
AOAC INTERNATIONAL, Gaithersburg, MD, USA. (Modified)

Certificate of Analysis

GET DIESEL NUTRITION

Method References	Testing Location
Elements by ICP Emission Spectrometry (ICP-OES) (ICP_S)	[REDACTED]
Official Methods of Analysis of AOAC INTERNATIONAL, Method 984.27, 985.01, and 2011.14, AOAC INTERNATIONAL, Gaithersburg, MD, USA. (Modified)	[REDACTED]
Elements by ICP Mass Spectrometry (ICP_MS_S)	[REDACTED]
Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).	[REDACTED]
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) (USPN2021)	[REDACTED]
USP Current revision, Chapter 2021. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.	[REDACTED]
Photo (VIS_PHOTO)	[REDACTED]
[REDACTED]	[REDACTED]
Preparatory Testing of Nutritional and Dietary Supplements (USPS_PT)	[REDACTED]

Certificate of Analysis

GET DIESEL NUTRITION

Method References	Testing Location
Salmonella USP (USPS2022) USP Current revision, Chapter 2022. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.	[REDACTED]
Staphylococcus (USPA2022) USP Current revision, Chapter 2022. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.	[REDACTED]
Targeted Analysis of Sports Nutrition Adulterants Internally developed LC-MS/MS method for screening and quantification of pharmaceutical adulterants in sports nutrition dietary supplements.	[REDACTED]
Vitamin C (AOACVITC_S) AOAC Official Method 2012.22, Vitamin C in Infant Formula and Adult/Pediatric Nutritional Formula Liquid Chromatography with Ultraviolet Detection (LC-UV) First Action 2012, Final Action 2016 (Modified).	[REDACTED]
Water Soluble Vitamins by LC-MS/M: Internally developed method	[REDACTED]

Certificate of Analysis
[REDACTED] **GET DIESEL NUTRITION**

Method References**Testing Location****Yeast and Mold Count (USPM2021)**

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Testing Location(s)**Released on Behalf of Eurofins by**

These results apply only to the items tested. [REDACTED]