

Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	DIESEL TEST Procycle 160 tablets	Sample:	15 [REDACTED]
Project ID	GET_DIESEL-202 [REDACTED]	Receipt Date	06-Nov-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2503164	Login Date	04-Nov-2025
Sample Serving Size	4 Tab	Date Started	06-Nov-2025
Description	[REDACTED] EXP: 05-2030	Sampled	Sample results apply as received
		Online Order	901 [REDACTED]
Analysis	Result	Specifications	Pass/Fail
Amazon Certification *			
Adulterants	Pass		
Contaminants	Pass		
Pathogens	Pass		
Microbiological	Pass		
GMP Certification	Pass		
Content Claims	Pass		
Overall Certification	Pass		
Label Review	Pass		
Calculated Sample Weight *			
Entity Weight	1.7277 g		
Elements by ICP Emission Spectrometry (ICP-OES)			
Copper	0.351 mg/Serving Size	0.25 mg/Serving Size	Pass
Zinc	9.09 mg/Serving Size	8 mg/Serving Size	Pass
Water Soluble Vitamins by LC-MS/MS			
Pyridoxine	4.66 mg/Serving Size	4 mg/Serving Size	Pass
Targeted Analysis of Sports Nutrition Adulterants			
Androsta-3,5-diene-7,17-dione (Armistane)	Not Detected.		
Androsta-1,4,6-trienedione	Not Detected.		
4-Androstenedione	Not Detected.		
4-Androstene-3 α -ol-17-one (4-DHEA-alpha)	Not Detected.		
4-Androstene-3 β -ol-17-one (4-DHEA-beta)	Not Detected.		
4-Androsten-3,6,17-trione	Not Detected.		
Androsterone (3 α -hydroxy-5 α -androstan-17-one)	Not Detected.		
1-Androsterone (1-dehydroepiandrosterone)	Non-analyzable due to DHEA interference.		
Dehydrochloromethyltestosterone (4-chlorodehydromethyltestosterone)	Not Detected.		

* This analysis or component is not ISO accredited.

Printed: 18-Nov-2025 10:02 am

Page 1 of 11

Certificate of Analysis
[REDACTED] GET DIESEL NUTRITION [REDACTED]

Sample Name:	DIESEL TEST Procycle 160 tablets	Sample:	15 [REDACTED]
Project ID	GET_DIESEL-2 [REDACTED]	Receipt Date	06-Nov-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2503164	Login Date	04-Nov-2025
Sample Serving Size	4 Tab	Date Started	06-Nov-2025
Description	[REDACTED] EXP: 05-2030	Sampled	Sample results apply as received
		Online Order	90 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sports Nutrition Adulterants			
Estra-4,9-diene-3,17-dione	Not Detected.		
GW1516 (Endurobol)	Not Detected.		
Ibutamoren	Not Detected.		
7-Keto-dehydroepiandrosterone (7-Keto-DHEA)	Not Detected.		
LGD-4033 (Ligandrol)	Not Detected.		
Metandienone (Methandrostenolone)	Not Detected.		
Methasterone (Superdrol)	Not Detected.		
Methylstenbolone (Ultradrol)	Not Detected.		
Methyl-1-testosterone	Not Detected.		
Ostarine (Enobosarm)	Not Detected.		
Prostanozol	Not Detected.		
RAD140 (Testolone)	Not Detected.		
Stanozolol	Not Detected.		
The reporting limits for 4-DHEA-alpha, 4-DHEA-beta, Androsterone, 1-Androsterone, Superdrol, and Testolone are 50 ppm. All other residues have a reporting limit of 10 ppm.	-		
DHEA (Dehydroepiandrosterone) *			
DHEA (Dehydroepiandrosterone)	21.5 mg/Serving Size	20 mg/Serving Size	Pass
Aerobic Plate Count *			
Aerobic Plate Count	3500 CFU/g	<= 10000000 CFU/g	Pass
E. coli *			
Escherichia Coli	Absent /10 g		
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) *			
Enterobacterial Count	<10 MPN /g	<= 10000 /g	
Salmonella USP *			

* This analysis or component is not ISO accredited.

Printed: 18-Nov-2025 10:02 am

Page 2 of 11

Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	DIESEL TEST Procycle 160 tablets	Sample:	158 [REDACTED]
Project ID	GET_DIESEL [REDACTED]	Receipt Date	06-Nov-2025
PO Number	NA [REDACTED]	Receipt Condition	Ambient temperature
Lot Number	2503164 [REDACTED]	Login Date	04-Nov-2025
Sample Serving Size	4 Tab [REDACTED]	Date Started	06-Nov-2025
Description	EXP: 05-2030 [REDACTED]	Sampled	Sample results apply as received
		Online Order	901-[REDACTED]

Analysis	Result	Specifications	Pass/Fail
Salmonella USP *			
Salmonella	Absent /10 g		
Staphylococcus *			
Staphylococcus Aureus	Absent /10 g		
Yeast and Mold Count *			
Combined Yeast and Mold Count	<100 CFU/g	<= 100000 CFU/g	Pass
Preparatory Testing of Nutritional and Dietary Supplements *			
Staphylococcus Suitability Result	PASS		
Salmonella Suitability Result	PASS		
E. coli Suitability Result	PASS		
Total Combined Yeast-Molds Count	Neutralization of the product is not applicable, due to the microbicidal activity of the product, it is not likely to contain the specified microorganism.		
Bile-Tolerant Gram-Neg Bacteria Suitability Result	PASS		
Aerobic Plate Suitability Result	PASS		
Elements by ICP Mass Spectrometry			
Arsenic	0.000908 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Lead	0.000566 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Chromium *	0.00588 mg/Serving Size	<= 0.02 mg/Serving Size	Pass
Cadmium	0.000294 mg/Serving Size	<= 0.0041 mg/Serving Size	Pass
Mercury	<0.0000346 mg/Serving Size	<= 0.002 mg/Serving Size	Pass
Elements by ICP Mass Spectrometry			
Selenium	82.2 mcg/Serving Size	30 mcg/Serving Size	Pass
Non-Testable Claims *			
Comments and Conclusions			

* This analysis or component is not ISO accredited.

Printed: 18-Nov-2025 10:02 am

Page 3 of 11

Certificate of Analysis
GET DIESEL NUTRITION

Procycle 160 tablets

Sample: 158 [REDACTED]

Project ID	GET_DIESEL-20 [REDACTED]	Receipt Date	06-Nov-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2503164	Login Date	04-Nov-2025
Sample Serving Size	4 Tab	Date Started	06-Nov-2025
Description	[REDACTED] EXP: 05-2030	Sampled	Sample results apply as received
		Online Order	901-2 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Non-Testable Claims *

Photo *

Packaging - Front



* This analysis or component is not ISO accredited.

Printed: 18-Nov-2025 10:02 am

Page 4 of 11

Certificate of Analysis
[REDACTED] GET DIESEL NUTRITION
[REDACTED]

Sample Name:	DIESEL TEST Procycle 160 tablets	Sample:	158 [REDACTED]
Project ID	GET_DIESEL-20 [REDACTED]	Receipt Date	06-Nov-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2503164	Login Date	04-Nov-2025
Sample Serving Size	4 Tab	Date Started	06-Nov-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 05-2030	Online Order	901-2025 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Lot



Packaging - Side 1



Packaging - Side 2


Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	DIESEL TEST Procycle 160 tablets	Sample:	158
Project ID	GET_DIESEL-20	Receipt Date	06-Nov-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2503164	Login Date	04-Nov-2025
Sample Serving Size	4 Tab	Date Started	06-Nov-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 05-2030	Online Order	901-202 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



Packaging - Facts

Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	DIESEL TEST Procycl 160 tablets	Sample:	158 [REDACTED] 1
Project ID	GET_DIESEL-202 [REDACTED] 5	Receipt Date	06-Nov-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2503164	Login Date	04-Nov-2025
Sample Serving Size	4 Tab	Date Started	06-Nov-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 05-2030	Online Order	90 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *




Packaging - Warning Label

Certificate of Analysis

GET DIESEL NUTRITION

Sample Name:	DIESEL TEST Procycle 160 tablets	Sample:	158 [REDACTED]
Project ID	GET_DIESEL-2025110 [REDACTED]	Receipt Date	06-Nov-2025
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2503164	Login Date	04-Nov-2025
Sample Serving Size	4 Tab	Date Started	06-Nov-2025
Description	[REDACTED]	Sampled	Sample results apply as received
	EXP: 05-2030	Online Order	901-2 [REDACTED]

Analysis	Result	Specifications	Pass/Fail
Photo *			

Method References	Testing Location
Aerobic Plate Count (USPC2021)	[REDACTED]

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Calculated Sample Weight (PREP)

Certificate of Analysis

Method References	Testing Location
DHEA (Dehydroepiandrosterone) (DHEA_S) Richard D. Thompson, et al. (2000). "Liquid Chromatographic Determination of Dehydroepiandrosterone (DHEA) in Dietary Supplement Products," Journal of AOAC International, 83(4):847-857 (2000). (Modified).	[REDACTED]
E. coli (USPE2022) USP Current revision, Chapter 2022. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.	[REDACTED]
Elements by ICP Emission Spectrometry (ICP-OES) (ICP_S) Official Methods of Analysis of AOAC INTERNATIONAL, Method 984.27, 985.01, and 2011.14, AOAC INTERNATIONAL, Gaithersburg, MD, USA. (Modified)	[REDACTED]
Elements by ICP Mass Spectrometry (ICP_MS_S) Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).	[REDACTED]
Elements by ICP Mass Spectrometry (SEMSPLUS_S) Official Methods of Analysis, Method 2011.19, AOAC INTERNATIONAL, (Modified).	[REDACTED]
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) (USPN2021) USP Current revision, Chapter 2021. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.	[REDACTED]
Non-Testable Claims	[REDACTED]

Certificate of Analysis

GET DIESEL NUTRITION

Method References	Testing Location
Photo (VIS_PHOTO)	[REDACTED]
Preparatory Testing of Nutritional and Dietary Supplements (USPA_PT)	[REDACTED]
Preparatory Testing of Nutritional and Dietary Supplements (USPC_PT)	[REDACTED]
Preparatory Testing of Nutritional and Dietary Supplements (USPE_PT)	[REDACTED]
Preparatory Testing of Nutritional and Dietary Supplements (USPM_PT)	[REDACTED]
Preparatory Testing of Nutritional and Dietary Supplements (USPN_PT)	[REDACTED]
Preparatory Testing of Nutritional and Dietary Supplements (USPS_PT)	[REDACTED]
Salmonella USP (USPS2022)	[REDACTED]

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Staphylococcus (USPA2022)

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Certificate of Analysis
[REDACTED] GET DIESEL NUTRITION
[REDACTED]

Method References	Testing Location
Targeted Analysis of Sports Nutrition Adulterants [REDACTED])	[REDACTED]
Internally developed LC-MS/MS method for screening and quantification of pharmaceutical adulterants in sports nutrition dietary supplements.	
Water Soluble Vitamins by LC-MS/MS (BLC [REDACTED])	[REDACTED]
Internally developed method	
Yeast and Mold Count (USPM2021)	[REDACTED]
USP Current revision, Chapter 2021. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.	

Testing Location(s)	Released on Behalf of Eurofins by
[REDACTED]	[REDACTED]

These results apply only to the items tested.

